

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: markspencer

Timestamp: Thu May 24 14:37:11 EDT 2007

=====

Application No: 10590634

Version No: 1.0

Input Set:

Output Set:

Started: 2007-05-24 12:38:39.497

Finished: 2007-05-24 12:38:44.679

Elapsed: 0 hr(s) 0 min(s) 5 sec(s) 182 ms

Total Warnings: 21

Total Errors: 0

No. of SeqIDs Defined: 23

Actual SeqID Count: 23

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
W 213	Artificial or Unknown found in <213> in SEQ ID (17)
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (19)
W 213	Artificial or Unknown found in <213> in SEQ ID (20)
W 213	Artificial or Unknown found in <213> in SEQ ID (21)
W 213	Artificial or Unknown found in <213> in SEQ ID (22)

Input Set:

Output Set:

Started: 2007-05-24 12:38:39.497
Finished: 2007-05-24 12:38:44.679
Elapsed: 0 hr(s) 0 min(s) 5 sec(s) 182 ms
Total Warnings: 21
Total Errors: 0
No. of SeqIDs Defined: 23
Actual SeqID Count: 23

Error code

Error Description

This error has occurred more than 20 times, will not be displayed

SEQUENCE LISTING

<110> Zealand Pharma A/S

<120> PEPTIDE YY ANALOGUES

<130> 15694DK00

<140> 10590634

<141> 2007-05-24

<160> 23

<170> PatentIn version 3.2

<210> 1

<211> 36

<212> PRT

<213> Homo sapiens

<400> 1

Tyr Pro Ile Lys Pro Glu Ala Pro Gly Glu Asp Ala Ser Pro Glu Glu
1 5 10 15

Leu Asn Arg Tyr Tyr Ala Ser Leu Arg His Tyr Leu Asn Leu Val Thr
20 25 30

Arg Gln Arg Tyr
35

<210> 2

<211> 34

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<222> (1)..(34)

<223> SEQ ID NO: 1, residues 3-36

<400> 2

Ile Lys Pro Glu Ala Pro Gly Glu Asp Ala Ser Pro Glu Glu Leu Asn
1 5 10 15

Arg Tyr Tyr Ala Ser Leu Arg His Tyr Leu Asn Leu Val Thr Arg Gln
20 25 30

Arg Tyr

<210> 3
<211> 40
<212> PRT
<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>
<221> MISC_FEATURE
<222> (1)..(34)
<223> SEQ ID NO: 2, residues 1-34

<400> 3

Ile Lys Pro Glu Ala Pro Gly Glu Asp Ala Ser Pro Glu Glu Leu Asn
1 5 10 15

Arg Tyr Tyr Ala Ser Leu Arg His Tyr Leu Asn Leu Val Thr Arg Gln
20 25 30

Arg Tyr Lys Lys Lys Lys Lys Lys
35 40

<210> 4
<211> 40
<212> PRT
<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>
<221> MISC_FEATURE
<222> (7)..(40)
<223> SEQ ID NO: 2, residues 1-34

<400> 4

Lys Lys Lys Lys Lys Lys Ile Lys Pro Glu Ala Pro Gly Glu Asp Ala
1 5 10 15

Ser Pro Glu Glu Leu Asn Arg Tyr Tyr Ala Ser Leu Arg His Tyr Leu
20 25 30

Asn Leu Val Thr Arg Gln Arg Tyr
35 40

<210> 5
<211> 46
<212> PRT
<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>
<221> MISC_FEATURE
<222> (7)..(40)
<223> SEQ ID NO: 2, residues 1-34

<400> 5

Lys Lys Lys Lys Lys Lys Ile Lys Pro Glu Ala Pro Gly Glu Asp Ala
1 5 10 15

Ser Pro Glu Glu Leu Asn Arg Tyr Tyr Ala Ser Leu Arg His Tyr Leu
20 25 30

Asn Leu Val Thr Arg Gln Arg Tyr Lys Lys Lys Lys Lys Lys
35 40 45

<210> 6
<211> 34
<212> PRT
<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>
<221> DISULFID
<222> (1)..(29)

<220>
<221> MISC_FEATURE
<222> (2)..(28)
<223> SEQ ID NO: 2, residues 2-28

<220>
<221> MISC_FEATURE
<222> (30)..(34)
<223> SEQ ID NO: 2, residues 30-34

<400> 6

Cys Lys Pro Glu Ala Pro Gly Glu Asp Ala Ser Pro Glu Glu Leu Asn
1 5 10 15

Arg Tyr Tyr Ala Ser Leu Arg His Tyr Leu Asn Leu Cys Thr Arg Gln
20 25 30

Arg Tyr

<210> 7
<211> 34
<212> PRT
<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>
<221> DISULFID
<222> (1)..(26)

<220>
<221> MISC_FEATURE
<222> (2)..(25)
<223> SEQ ID NO: 2, residues 2-25

<220>
<221> MISC_FEATURE
<222> (27)..(34)
<223> SEQ ID NO: 2, residues 27-34

<400> 7

Cys Lys Pro Glu Ala Pro Gly Glu Asp Ala Ser Pro Glu Glu Leu Asn
1 5 10 15

Arg Tyr Tyr Ala Ser Leu Arg His Tyr Cys Asn Leu Val Thr Arg Gln
20 25 30

Arg Tyr

<210> 8
<211> 34
<212> PRT
<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>
<221> MISC_FEATURE

<222> (1)..(2)
<223> SEQ ID NO: 2, residues 1-2

<220>
<221> DISULFID
<222> (3)..(24)

<220>
<221> MISC_FEATURE
<222> (4)..(23)
<223> SEQ ID NO: 2, residues 4-23

<220>
<221> MISC_FEATURE
<222> (25)..(34)
<223> SEQ ID NO: 2, residues 25-34

<400> 8

Ile Lys Cys Glu Ala Pro Gly Glu Asp Ala Ser Pro Glu Glu Leu Asn
1 5 10 15

Arg Tyr Tyr Ala Ser Leu Arg Cys Tyr Leu Asn Leu Val Thr Arg Gln
20 25 30

Arg Tyr

<210> 9
<211> 34
<212> PRT
<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>
<221> MISC_FEATURE
<222> (1)..(4)
<223> SEQ ID NO: 2, residues 1-4

<220>
<221> DISULFID
<222> (5)..(22)

<220>
<221> MISC_FEATURE
<222> (6)..(21)
<223> SEQ ID NO: 2, residues 6-21

<220>
<221> MISC_FEATURE
<222> (23)..(34)

<223> SEQ ID NO: 2, residues 23-34

<400> 9

Ile Lys Pro Glu Cys Pro Gly Glu Asp Ala Ser Pro Glu Glu Leu Asn
1 5 10 15

Arg Tyr Tyr Ala Ser Cys Arg His Tyr Leu Asn Leu Val Thr Arg Gln
20 25 30

Arg Tyr

<210> 10

<211> 33

<212> PRT

<213> Artificial

<220>

<223> Synthetic PYY analogue

<220>

<221> MISC_FEATURE

<222> (1)..(8)

<223> SEQ ID NO: 2, residues 1-8

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<220>

<221> misc_feature

<222> (9)..(9)

<223> Xaa is 4-(2-Aminoethyl)6-dibenzofuranpropionic acid

<220>

<221> MISC_FEATURE

<222> (10)..(33)

<223> SEQ ID NO: 2, residues 11-34

<400> 10

Ile Lys Pro Glu Ala Pro Gly Glu Xaa Ser Pro Glu Glu Leu Asn Arg
1 5 10 15

Tyr Tyr Ala Ser Leu Arg His Tyr Leu Asn Leu Val Thr Arg Gln Arg
20 25 30

Tyr

<210> 11
<211> 34
<212> PRT
<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> SEQ ID NO: 2, residues 1-8

<220>
<221> MISC_FEATURE
<222> (11)..(34)
<223> SEQ ID NO: 2, residues 11-34

<400> 11

Ile Lys Pro Glu Ala Pro Gly Glu Pro Pro Ser Pro Glu Glu Leu Asn
1 5 10 15

Arg Tyr Tyr Ala Ser Leu Arg His Tyr Leu Asn Leu Val Thr Arg Gln
20 25 30

Arg Tyr

<210> 12
<211> 29
<212> PRT
<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>
<221> DISULFID
<222> (1)..(24)

<220>
<221> MISC_FEATURE
<222> (2)..(9)
<223> SEQ ID NO: 2, residues 2-9

<220>
<221> MISC_FEATURE
<222> (10)..(23)
<223> SEQ ID NO: 2, residues 20-28

<220>

<221> MISC_FEATURE

<222> (25)..(29)

<223> SEQ ID NO: 2, residues 30-34

<400> 12

Cys Lys Pro Glu Ala Pro Gly Glu Asp Leu Asn Arg Tyr Tyr Ala Ser
1 5 10 15

Leu Arg His Tyr Leu Asn Leu Cys Thr Arg Gln Arg Tyr
20 25

<210> 13

<211> 26

<212> PRT

<213> Artificial

<220>

<223> Synthetic PYY analogue

<220>

<221> DISULFID

<222> (1)..(21)

<220>

<221> MISC_FEATURE

<222> (2)..(7)

<223> SEQ ID NO: 2, residues 2-7

<220>

<221> MISC_FEATURE

<222> (8)..(20)

<223> SEQ ID NO: 2, residues 16-28

<220>

<221> MISC_FEATURE

<222> (22)..(26)

<223> SEQ ID NO: 2, residues 30-34

<400> 13

Cys Lys Pro Glu Ala Pro Gly Asn Arg Tyr Tyr Ala Ser Leu Arg His
1 5 10 15

Tyr Leu Asn Leu Cys Thr Arg Gln Arg Tyr
20 25

<210> 14

<211> 29

<212> PRT

<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>
<221> DISULFID
<222> (1)..(2)
<223> SEQ ID NO: 2, residues 1-2

<220>
<221> DISULFID
<222> (3)..(19)

<220>
<221> DISULFID
<222> (4)..(9)
<223> SEQ ID NO: 2, residues 4-9

<220>
<221> DISULFID
<222> (10)..(18)
<223> SEQ ID NO: 2, residues 15-23

<220>
<221> DISULFID
<222> (20)..(29)
<223> SEQ ID NO: 2, residues 25-34

<400> 14

Ile Lys Cys Glu Ala Pro Gly Glu Asp Leu Asn Arg Tyr Tyr Ala Ser
1 5 10 15

Leu Arg Cys Tyr Leu Asn Leu Val Thr Arg Gln Arg Tyr
20 25

<210> 15
<211> 26
<212> PRT
<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>
<221> MISC_FEATURE
<222> (1)..(2)
<223> SEQ ID NO: 2, residues 1-2

<220>
<221> DISULFID
<222> (3)..(16)

<220>
<221> MISC_FEATURE
<222> (4)..(7)
<223> SEQ ID NO: 2, residues 4-7

<220>
<221> MISC_FEATURE
<222> (8)..(15)
<223> SEQ ID NO: 2, residues 16-23

<220>
<221> MISC_FEATURE
<222> (17)..(26)
<223> SEQ ID NO: 2, residues 25-34

<400> 15

Ile Lys Cys Glu Ala Pro Gly Asn Arg Tyr Tyr Ala Ser Leu Arg Cys
1 5 10 15

Tyr Leu Asn Leu Val Thr Arg Gln Arg Tyr
20 25

<210> 16
<211> 24
<212> PRT
<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>
<221> MISC_FEATURE
<222> (1)..(24)
<223> SEQ ID NO: 2, residues 11-34

<400> 16

Ser Pro Glu Glu Leu Asn Arg Tyr Tyr Ala Ser Leu Arg His Tyr Leu
1 5 10 15

Asn Leu Val Thr Arg Gln Arg Tyr
20

<210> 17
<211> 30
<212> PRT
<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>

<221> MISC_FEATURE

<222> (1)..(24)

<223> SEQ ID NO: 2, residues 11-34

<400> 17

Ser Pro Glu Glu Leu Asn Arg Tyr Tyr Ala Ser Leu Arg His Tyr Leu
1 5 10 15

Asn Leu Val Thr Arg Gln Arg Tyr Lys Lys Lys Lys Lys Lys
20 25 30

<210> 18

<211> 15

<212> PRT

<213> Artificial

<220>

<223> Synthetic PYY analogue

<220>

<221> MISC_FEATURE

<222> (1)..(15)

<223> SEQ ID NO: 2, residues 20-34

<400> 18

Ala Ser Leu Arg His Tyr Leu Asn Leu Val Thr Arg Gln Arg Tyr
1 5 10 15

<210> 19

<211> 21

<212> PRT

<213> Artificial

<220>

<223> Synthetic PYY analogue

<220>

<221> MISC_FEATURE

<222> (1)..(15)

<223> SEQ ID NO: 2, residues 20-34

<400> 19

Ala Ser Leu Arg His Tyr Leu Asn Leu Val Thr Arg Gln Arg Tyr Lys
1 5 10 15

Lys Lys Lys Lys Lys

<210> 20
 <211> 24
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic PYY analogue

<220>
 <221> MISC_FEATURE
 <222> (1)..(16)
 <223> SEQ ID NO: 2, residues 11-26

<220>
 <221> MISC_FEATURE
 <222> (17)..(17)
 <223> Epsilon amino group in Lys-17 is bound to the C-terminus of SEQ
 ID NO: 23 via a peptide bond

<220>
 <221> MISC_FEATURE
 <222> (18)..(24)
 <223> SEQ ID NO: 2, residues 28-34

<400> 20

Ser Pro Glu Glu Leu Asn Arg Tyr Tyr Ala Ser Leu Arg His Tyr Leu
 1 5 10 15

Lys Leu Val Thr Arg Gln Arg Tyr
 20

<210> 21
 <211> 15
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic PYY analogue

<220>
 <221> MISC_FEATURE
 <222> (1)..(7)
 <223> SEQ ID NO: 2, residues 20-26

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Epsilon amino group in Lys-8 is bound to the C-terminus of SEQ ID
 NO: 23 via a peptide bond

<220>
<221> MISC_FEATURE
<222> (9)..(15)
<223> SEQ ID NO: 2, residues 28-34

<400> 21

Ala Ser Leu Arg His Tyr Leu Lys Leu Val Thr Arg Gln Arg Tyr
1 5 10 15

<210> 22
<211> 21
<212> PRT
<213> Artificial

<220>
<223> Synthetic PYY analogue

<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> SEQ ID NO: 2, residues 1-5

<220>
<221> MISC_FEATURE
<222> (6)..(13)
<223> SEQ ID NO: 2, residues 19-26

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Epsilon amino group in Lys-14 is bound to the C-terminus of SEQ
ID NO: 23 via a peptide bond

<220>
<221> MISC_FEATURE
<222> (15)..(21)
<223> SEQ ID NO: 2, residues 28-34

<400> 22

Ile Lys Pro Glu Ala Tyr Ala Ser Leu Arg His Tyr Leu Lys Leu Val
1 5 10 15

Thr Arg Gln Arg Tyr
20

<210> 23
<211> 5
<212> PRT
<213> Artificial

<220>

<223> Synthetic PYY analogue

<220>

<221> MISC_FEATURE

<222> (1)..(5)

<223> SEQ ID NO: 2, residues 1-5

<400> 23

Ile Lys Pro Glu Ala

1 5